


ANNUAL REPORT FOR THE GROUNDWATER MANAGEMENT PROGRAM 2009 WATER YEAR



MAY 2010



Zone 7 Water Agency

**Annual Report for the
Groundwater Management Program
2009 Water Year**

PREPARED BY:

ZONE 7 WATER AGENCY

100 North Canyons Parkway

Livermore, CA 94551

(925) 454-5000

ZONE 7 WATER AGENCY STAFF

Jill Duerig – *General Manager*
Kurt Arends – *Assistant General Manager*

Data Collection and Report Preparation provided by:

GROUNDWATER SECTION

Matt Katen – *Principal Engineer*
Tom Rooze – *Associate Engineer*
Cheryl Dizon – *Assistant Engineer*
Colleen Winey – *Assistant Engineer*
Michael Garguilo – *Water Resources Technician*
Wyman Hong – *Water Resources Technician*
Todd Wendler – *Water Resources Technician*

FINANCIAL & SYSTEMS SERVICES

Gerald Gates – *GIS Analyst*

LEGISLATIVE PROGRAM AND CONSERVATION ACTIVITIES

Robyn Navarra – *Conservation Coordinator*

WATER SUPPLY ENGINEERING

Jarnail Chahal – *Principal Engineer*
Sal Segura – *Associate Engineer*

Table of Contents

	Page
ES	
Executive Summary	I
<i>ES 1 Overview</i>	<i>I</i>
<i>ES 2 Monitoring Programs</i>	<i>II</i>
<i>ES 3 Basin Evaluation Programs</i>	<i>III</i>
<i>ES 4 Basin Management Programs</i>	<i>III</i>

Executive Summary Figures

<i>Figure ES-1:</i>	<i>Graph of Livermore Rainfall</i>
<i>Figure ES-2:</i>	<i>Key Well Hydrographs-Western Portion of Main Basin</i>
<i>Figure ES-3:</i>	<i>Key Well Hydrographs-Eastern Portion of Main Basin</i>
<i>Figure ES-4:</i>	<i>Groundwater Gradient Map, Upper Aquifer, Fall 2009</i>
<i>Figure ES-5:</i>	<i>Groundwater Gradient Map, Lower Aquifer, Fall 2009</i>
<i>Figure ES-6:</i>	<i>Groundwater Levels above Historical lows, Lower Aquifer, Fall 2009</i>
<i>Figure ES-7:</i>	<i>TDS Concentrations, Upper Aquifer, 2009 Water Year</i>
<i>Figure ES-8:</i>	<i>TDS Concentrations, Lower Aquifer, 2009 Water Year</i>
<i>Figure ES-9:</i>	<i>Ground Surface Elevation Change, Fall 2008 to Fall 2009</i>
<i>Figure ES-10:</i>	<i>Graphs of Historical Main Basin Hydrologic Inventory, 1974 to 2009 Water Years</i>
<i>Figure ES-11:</i>	<i>Graphs of Salt Loading and Salt Concentrations</i>

1 Introduction	1
2 Background	3
2.1 Overview	3
2.2 Hydrogeology.....	4
2.2.1 Overview	4
2.2.2 Geology	4
2.2.3 Main Basin	5
2.2.4 Aquifer Zones.....	5
2.2.5 Historical Lows	6
3 Monitoring Programs	7
3.1 Climatological Monitoring Program	7
3.1.1 Program Description.....	7
3.1.2 2009 Results	7
3.2 Groundwater Elevation and Quality Monitoring Program.....	8
3.2.1 Program Description.....	8
3.2.2 Program Changes and Notes for 2009 Water Year.....	9
3.2.3 Groundwater Levels for 2009 Water Year	11
3.2.4 Groundwater Quality for 2009 Water Year	14
3.3 Surface Water Monitoring Program	18
3.3.1 Program Description.....	18
3.3.2 2009 Results	19
3.4 Subsidence Monitoring Program	22
3.4.1 Program Description.....	22
3.4.2 2009 Results	22
3.5 Mining Area Monitoring Program.....	23
3.5.1 Program Description.....	23
3.5.2 2009 Results	24
3.6 Land Use Monitoring Program.....	25
3.6.1 Program Description.....	25
3.6.2 2009 Results	26
3.7 Groundwater Production Monitoring	26
3.7.1 Program Description.....	26
3.7.2 2009 Results	26
3.8 Wastewater and Recycled Water Monitoring Program	27
3.8.1 Program Description.....	27
3.8.2 2009 Results	27
4 Basin Evaluation Programs	29
4.1 Recharge Calculations	29
4.1.1 Introduction	29
4.1.2 2009 Recharge	30

4.2	<i>Groundwater Storage</i>	30
4.2.1	Introduction	30
4.2.2	Nodal Groundwater Elevation Method.....	31
4.2.3	Hydrologic Inventory Method	32
4.2.4	2009 Storage Calculations.....	32
4.3	<i>Salt Loading Calculations</i>	34
4.3.1	Introduction	34
4.3.2	2009 Salt Loading	34
4.4	<i>Modeling</i>	36
4.4.1	Groundwater Model Overview	36
4.4.1	2009 Groundwater Modeling.....	36
5	Basin Management	39
5.1	<i>Groundwater Sustainability</i>	39
5.1.1	Overview	39
5.1.2	Natural Sustainable Yield (Safe Yield)	39
5.1.3	Municipal Pumping	41
5.1.4	Supplemental Water Sources.....	42
5.1.5	Conjunctive Use Program.....	43
5.1.6	Municipal Wastewater and Recycled Water Use	44
5.1.7	Review of Development Plans and Land Use Changes.....	45
5.1.8	Water Conservation Program	45
5.2	<i>Salt Management</i>	47
5.2.1	Strategy and Overview	47
5.2.2	Salt Management Plan	47
5.2.3	Demineralization	48
5.3	<i>Groundwater Resource Protection Programs</i>	49
5.3.1	Well Ordinance Program.....	49
5.3.2	Septic Tank Management Program	50
5.3.3	Toxic Site Surveillance Program.....	51
5.4	<i>Capital Projects</i>	52
5.4.1	Chain of Lakes Recharge Projects.....	52
5.4.2	Well Master Plan	53
5.4.3	Demineralization Plant	53
5.4.4	Monitoring Wells	54
5.4.5	Surface Water Stations	54
5.4.6	Other Projects	54
6	References	55

List of Tables

Table 3.1-1:	Climatological Station Information
Table 3.1-2:	Monthly Precipitation, 2009 Water Year
Table 3.1-3:	Monthly Precipitation, Wellingham Drive, Livermore, 1871 - 2009
Table 3.1-4:	Daily Pan Evaporation, Lake Del Valle, Livermore, 2009 Water Year
Table 3.1-5:	Monthly Pan Evaporation, Lake Del Valle, Livermore, 1968 - 2009 Water Years
Table 3.2-1:	Program Wells with Measurement Frequency, 2009 Water Year
Table 3.2-3:	Semi-Annual Groundwater Levels, Fall 2009 Measurement
Table 3.2-4:	Water Quality Results for Groundwater Samples, 2009 Water Year
Table 3.3-1:	List of Surface Water Stations, 2009 Water Year
Table 3.3-2:	Recorder Station Details
Table 3.3-3:	Monthly Summary of Stream Flows, Recorder Stations, 2009 Water Year
Table 3.3-4:	Monthly Conductivity Sampling, 2009 Water Year
Table 3.3-5:	Water Quality Results for Surface Water Samples, 2009 Water Year
Table 3.4-1:	Survey Points and Descriptions, 2009 Water Year
Table 3.4-2:	Kier & Wright Survey Measurements, 2009 Water Year
Table 3.5-1:	Mining Area Monitoring Program, Water Level Data, 2009 Water Year
Table 3.5-2:	Water Quality Results for Mining Area Samples, 2009 Water Year
Table 3.6-1:	Land Use Acreage by Main Basin Node and Land Use Type, 2009 Water Year
Table 3.7-1:	Groundwater Production from Municipal and Other Supply Wells, 2009 Water Year
Table 4.1-1:	Recharge Volumes, 2009 Water Year
Table 4.2-1:	Nodal Constants for Storage Calculations
Table 4.2-2:	Groundwater Elevations and Storage, Nodal Groundwater Elevation Method, Water Years 1963 to 1991
Table 4.2-3:	Groundwater Elevations and Storage, Nodal Groundwater Elevation Method, Water Years 1992 to 2009
Table 4.2-4:	Groundwater Storage – Hydrologic Inventory Method, 2009 Water Year
Table 4.2-5:	Hydrologic Inventory and Storage, 1974 to 2009 Water Years
Table 4.3-1:	Main Basin Salt Loading Calculations, 2009 Water Year
Table 4.3-2:	Historical Salt Loading, 1974 to 2009 Water Years

List of Figures

- Figure 2.2-1: Groundwater Basin Map
- Figure 2.2-2: Thickness of Clay Overburden Above Upper Aquifer
- Figure 2.2-3: Historical Lows
- Figure 3.1-1: Climatological Monitoring Stations with Average Rainfall in Inches
- Figure 3.1-2: Graph of Livermore Rainfall
- Figure 3.2-1: Groundwater Program, Wells in 2009 Program
- Figure 3.2-2: Key Well Hydrographs - Historical
- Figure 3.2-3: Key Well Hydrographs – 2008 to 2009 Water Years
- Figure 3.2-2: Key Well Hydrographs - Historical
- Figure 3.2-4: Groundwater Gradient Map, Upper Aquifer, Spring 2009
- Figure 3.2-5: Groundwater Gradient Map, Upper Aquifer, Fall 2009
- Figure 3.2-6: Groundwater Gradient Map, Lower Aquifer, Spring 2009
- Figure 3.2-7: Groundwater Gradient Map, Lower Aquifer, Fall 2009
- Figure 3.2-8: Groundwater Levels above Historical lows, Lower Aquifer, Fall 2009
- Figure 3.2-9: TDS Concentrations, Upper Aquifer, 2009 Water Year
- Figure 3.2-10: Nitrate Concentrations, Upper Aquifer, 2009 Water Year
- Figure 3.2-11: Boron Concentrations, Upper Aquifer, 2009 Water Year
- Figure 3.2-12: TDS Concentrations, Lower Aquifer, 2009 Water Year
- Figure 3.2-13: Nitrate Concentrations, Lower Aquifer, 2009 Water Year
- Figure 3.2-14: Boron Concentrations, Lower Aquifer, 2009 Water Year
- Figure 3.2-15: Graph of TDS Concentrations in Western Key Wells
- Figure 3.2-16: Graph of TDS Concentrations in Eastern Key Wells
- Figure 3.2-17: Hydro-Chemo Graph for 3S/1E 18A 6, Bernal Subbasin - Lower Aquifer
- Figure 3.2-18: Hydro-Chemo Graph for 3S/1E 9M 3, Amador West Subbasin - Lower Aquifer
- Figure 3.2-19: Hydro-Chemo Graph for 3S/2E 7P 3, Amador East Subbasin – Lower Aquifer
- Figure 3.2-20: Hydro-Chemo Graph for 3S/2E 8P 1, Mocho II Subbasin – Lower Aquifer
- Figure 3.2-21: Graph of Hardness and TDS in Mocho Wellfield
- Figure 3.3-1: Surface Water Station Locations, 2009 Water Year
- Figure 3.4-1: Benchmark Locations, 2009 Subsidence Monitoring Program
- Figure 3.4-2: Cumulative Land Surface Elevation Changes Since Start of Program; Bernal Subbasin
- Figure 3.4-3: Cumulative Land Surface Elevation Changes Since Start of Program; Amador Subbasin
- Figure 3.4-4: Graphs of Land Surface and Groundwater Elevation Changes Versus Time; Bernal Subbasin – Hopyard 6 Well
- Figure 3.4-5: Graphs of Land Surface and Groundwater Elevation Changes Versus Time; Amador Subbasin – Mocho Wellfield
- Figure 3.4-6: Graphs of Land Surface and Groundwater Elevation Changes Versus Time; Amador Subbasin – Stoneridge Well
- Figure 3.4-7: Ground Surface Elevation Change, Fall 2008 to Fall 2009
- Figure 3.5-1: Location of Gravel Mining Pit and Water Circulation Patterns – 2009 Water Year
- Figure 3.6-1: Livermore Valley Land Use, 2009 Water Year
- Figure 3.7-1: Locations of Subbasins and Municipal Wells
- Figure 4.2-1: Mean Groundwater Elevations by Node
- Figure 4.2-2: Graphs of Historical Main Basin Hydrologic Inventory, 1974 to 2009 Water Years
- Figure 4.2-3: Storage Calculation Graphs, 1974 to 2009 Water Years
- Figure 4.3-1: Graphs of Salt Loading and Salt Concentrations
- Figure 5.1-1: Valley Water Production from Imported Water and Groundwater Sources
- Figure 5.1-2: 2009 Supply and Use – Calendar Year
- Figure 5.3-1: Toxic Site Surveillance, Livermore Area Sites
- Figure 5.3-2: Toxic Site Surveillance, Pleasanton Area Sites

Figure 5.3-3: Toxic Site Surveillance, Dublin Area Sites
Figure 5.4-1: Location of Future Chain of Lakes

Acronyms and Abbreviations

µg/L	Micro grams per liter
ACEH	Alameda County Environmental Health
ACWA	Association of California Water Agencies
AF	Acre-feet
AF/yr	Acre-feet per year
bgs	Below ground surface
BMOs	Basin management objectives
BTEX	Benzene, toluene, ethylbenzene, xylene
CDFG	California Department of Fish and Game
CEQA	California Environmental Quality Act
cfs	Cubic feet per second
CWS	California Water Service
DSRSD	Dublin San Ramon Services District
DVWTP	Del Valle Water Treatment Plant
DWR	California Department of Water Resources
EC	Electrical Conductivity
EBDA	East Bay Dischargers Authority
EIR	Environmental Impact Report
ft	Feet
GAC	Granulated Activated Carbon
GIS	Geographic information systems
GWMP	Groundwater Management Plan
GPQ	Groundwater Pumping Quota
HET	High-Efficiency Toilet
HI	Hydrologic Inventory
LAVWMA	Livermore-Amador Valley Water Management Agency
LOP	Local Oversight Program
LWRP	Livermore Water Reclamation Plant
M&I	Municipal and Industrial
MCL	Maximum contaminant level
mg/L	Milligrams per liter
MND	Mitigated negative declaration
MTBE	Methyl tertiary-butyl ether
NGE	Nodal Groundwater Elevation
NPDES	National Pollutant Discharge Elimination System
PCE	Tetrachlorethylene
ppb	Parts per billion
PPWTP	Patterson Pass Water Treatment Plant
RO	Reverse osmosis
RWQCB	California Regional Water Quality Control Board
SBA	South Bay Aqueduct

SFWD	San Francisco Water District
SMP	Salt Management Plan
SWP	State Water Project
TAF	Thousand acre-feet
TBA	Tertiary-butyl alcohol
TCE	Trichloroethylene
TDS	Total dissolved solids
TPHd	Total petroleum hydrocarbons as diesel
TPHg	Total petroleum hydrocarbons as gasoline
ULFT	Ultra-Low-Flow Toilet
USACOE	U.S. Army Corps of Engineers
USGS	U.S. Geological Survey
WMP	Well Master Plan
WQMP	Water Quality Management Plan
WWMP	Wastewater Management Plan for the Unsewered, Unincorporated Area of Alameda Creek Watershed Above Niles

1 Introduction

In 2005, the Zone 7 Water Agency (Zone 7) adopted a Groundwater Management Plan (GWMP) that compiled all of Zone 7's current groundwater management policies and programs into a single document and satisfied the requirements set forth in the California Groundwater Management Planning Act. The GWMP (available online at http://www.zone7water.com/index.php?option=com_content&task=view&id=79&Itemid=550) provides a detailed description of Zone 7's groundwater management practices, basin management objectives (BMOs), and stakeholder involvement. A large portion of the GWMP also addresses monitoring programs and protocols related to groundwater and conjunctive use of regional water supplies. The purpose of the GWMP is to document all of Zone 7's existing programs and policies that together serve as the basis for successfully managing groundwater resources and to develop a framework for considering future amendments to policy and procedures collaboratively with other basin users such as the Tri-Valley Retail Group and its member agencies, Dublin San Ramon Services District (DSRSD), California Water Service (CWS), the City of Pleasanton and the City of Livermore.

This Annual Report for the Groundwater Management Program, a companion to the GWMP, summarizes the status of Zone 7's groundwater management program for the 2009 Water Year (October 2008 to September 2009). This report includes 2009 Water Year data sets, results, and interpretations for the monitoring, evaluation, and management programs outlined in the GWMP. In addition, the programs are reviewed in this effort to verify that their elements are still meeting the overall goal of the GWMP. This annual report includes the following sections:

- **Section 2: Background** – provides an overview of the hydrogeologic setting.
- **Section 3: Monitoring Programs** – provides a brief overview of Zone 7's monitoring programs and presents monitoring results for the 2009 Water Year.
- **Section 4: Basin Evaluation Programs** – describes how the monitoring program results were analyzed to provide an understanding of 2009 Water Year basin conditions, including calculations for recharge, groundwater storage and salt loading.
- **Section 5: Basin Management** – describes how Zone 7 managed the basin for 2009 including descriptions of groundwater sustainability, salt management, groundwater resource protection programs, and capital projects that pertain to groundwater management.
- **Section 6: Reference** – a list of reports or documents that were used to prepare this report.

Tables and figures referenced in the sections can be found in the 'Tables' and 'Figures' sections at the end of the report.

2 Background

2.1 Overview

Zone 7 has actively managed the Livermore Valley Groundwater Basin (California Department of Water Resources [DWR] Basin No. 2-10; a.k.a., Livermore-Amador Valley Groundwater Basin) for over 40 years. Zone 7 manages both surface and groundwater supplies for conjunctive use and reliability of water supplies. Groundwater typically makes up 15-25% of the water supplied by Zone 7 to its retail water supply agencies. In addition, two of the four retailers independently operate supply wells, as do other domestic and agricultural users, so total groundwater makes up a higher percentage of the total regional supply (typically 20-40%).

Management of a groundwater basin requires multiple programs to assess the state of the groundwater basin and achieve successful management goals and objectives. Zone 7 has developed numerous interrelated policies and programs to assess, manage, monitor, and protect the groundwater supply. In 2005, Zone 7 compiled and documented its groundwater management policies, objectives, and programs in its GWMP for the Livermore Valley Groundwater Basin. The GWMP provides a detailed description of Zone 7's groundwater management practices throughout the Livermore Valley Groundwater Basin and provides a description of the regulatory setting that is relevant to a GWMP. In addition, the GWMP contains the Zone 7 management plan elements, which involve the GWMP goals, Basin Management Objectives (BMOs), and documentation of stakeholder involvement in developing those practices. A large portion of the GWMP addresses monitoring programs and protocols related to groundwater and conjunctive use of regional water supplies.

The programs listed below, and described in detail in the GWMP, represent the ongoing efforts by Zone 7 to achieve its BMOs. Programs are administered for the Water Year (WY, October through September) and/or Calendar Year (CY, January through December) as indicated below:

Monitoring Programs (described in Section 3)

- Climatological Monitoring Program (WY)
- Groundwater Elevation and Quality Monitoring Program (WY)
- Surface Water Flow and Quality Monitoring Program (WY)
- Subsidence Monitoring Program (WY)
- Mining Area Monitoring Program (WY)
- Land Use Monitoring Program (WY)
- Groundwater Production Monitoring Program (WY and CY)
- Wastewater and Recycled Water Monitoring Program (CY)

Basin Evaluation Programs (described in Section 4)

- Recharge Calculations (WY)
- Groundwater Storage (WY)
- Salt Loading (WY)
- Groundwater Modeling (WY and CY)

Basin Management (described in Section 5)

- Supply and Demand Management (CY)
- Salt Management (WY and CY)
- Groundwater Resource Protection (CY)
- Capital Projects (CY)

The GWMP itself is intended to be a ‘living document’ and as such, will undergo periodic reevaluations and updates as conditions and management goals may change. Any such future changes to the GWMP will involve a collaborative effort between Zone 7, the California Regional Water Quality Control Board (RWQCB), Zone 7’s retailers, and other stakeholders in an open public process.

2.2 Hydrogeology

2.2.1 Overview

The Livermore-Amador Valley (Valley), an east-west trending, inland alluvial basin located in northeastern Alameda County, is surrounded primarily by north-south trending faults and hills of the Diablo Range. The Valley covers about 42,000 acres, extends approximately 14 miles in an east-west direction, and varies from three to six miles in width. The Livermore Valley Groundwater Basin is located in the heart of the Valley and extends south into the hills south of Pleasanton and Livermore. The Main Basin (shown on Figure 2.2-1) is a portion of the Livermore Valley Groundwater Basin that contains the highest yielding aquifers and best quality groundwater. The geology of the Valley is described in detail in the GWMP and is summarized below.

2.2.2 Geology

The Valley is partially filled with recent alluvial fan, stream and lake deposits (of Pleistocene-Holocene age; less than about 1.6 million years old) that range in thickness from a few feet along the margins to nearly 800 feet (ft) in the west-central portion. The alluvium consists of unconsolidated gravel, sand, silt, and clay. The southeastern region of the Valley is the most important groundwater recharge area and consists mainly of sand and gravel that was deposited by the ancestral and present Arroyo Valle and Arroyo Mocho.

The Livermore Formation (Pleistocene age; 11,000 to 1.6 million years old), found below the majority of the alluvium in the groundwater basin, consists of beds of clayey gravels and sands, silts, and clays that

are unconsolidated to semi-consolidated. This formation is estimated to be 4,000 ft thick in the southern and western portion of the basin. These sediments display lower yields in the upland areas.

The Tassajara and Green Valley Formations, located in the Tassajara Uplands north of the Valley, are roughly Pliocene in age (1.6 to 5.3 million years old). They basically consist of sandstone, tuffaceous sandstone/siltstone, conglomerate, shale, and limestone. Water movement from these formations to the alluvium of the fringe and Main Basins is minimized by faults and angular unconformities or by stratigraphic disconformities along the formation-alluvium contacts.

2.2.3 Main Basin

The Main Basin is comprised of the Castle, Bernal, Amador and Mocho II Subbasins (shown on Figure 2.2-1) and is bounded on the:

- North by the Parks Boundary which separates the Dublin and Camp Subbasins from the Bernal and Amador Subbasins. This boundary was initially considered to be fault-related, but may be a depositional boundary between recent alluvium and older material;
- East by shallow bedrock separating the Mocho I and Mocho II subbasins;
- South by the tilted Livermore Formation in the Livermore Uplands; and
- West by Pleasanton Ridge, the Dublin Uplands, and the Calaveras Fault.

The majority of the connectivity between the fringe areas and the Main Basin is through shallow alluvium. Subsurface inflow into the deeper portions of the Main Basin from the fringe subbasins is considered to be minor. The deeper aquifers are primarily recharged through vertical migration of groundwater within the Main Basin.

2.2.4 Aquifer Zones

Although multiple aquifers have been identified in the Main Basin alluvium, wells have been classified generally as being in one of two aquifer zones, separated by a relatively continuous silty clay aquitard up to about 50 ft thick:

Upper Aquifer Zone - The upper aquifer zone consists of alluvial materials, including primarily sandy gravel and sandy clayey gravels. These gravels are usually encountered underneath the surficial clays typically 5 to 70 ft below ground surface [bgs] in the west and exposed at the surface in the east. The overburden thicknesses are contoured on Figure 2.2-2. The base of the upper aquifer zone is at about 80 to 150 ft bgs. Groundwater in this zone is generally unconfined; however when water levels are high, portions of the Upper Aquifer Zone in the western portion of the Main Basin can become confined.

Lower Aquifer Zone - All sediments encountered below the clay aquitard in the center portion of the basin have been known collectively as the Lower Aquifer Zone. The aquifer materials consist of semi-confined to confined, coarse-grained, water-bearing units interbedded with relatively low permeability, fine-grained units. It is believed that the Lower Aquifer Zone derives most of its water from the Upper Aquifer Zone through the leaky aquitard(s) when groundwater heads in the upper zone are greater than those in the lower zone.

2.2.5 Historical Lows

Zone 7 maintains groundwater levels above ‘historical lows’, a piezometric surface that was created from a compilation of historical-low groundwater elevations in various wells in the basin. These data are typically from the 1960s, 1977, and 1987-1992 drought periods when groundwater elevations were lowest in the basin. This historical low surface corresponds to a groundwater storage volume of about 128,000 acre-feet (AF). Historical high water levels correspond to storage volume of about 254,000 AF. The range from historical low to historical high provides and operational storage of about 126,000 AF.

In 1987, Zone 7 adopted a Groundwater Management Policy that included maintaining groundwater levels high enough to provide emergency reserves adequate for the worst credible drought. In 2005, Zone 7 adopted mitigation measures for its Well Master Plan (WMP, *Zone 7, 2003*) that require Zone 7 to maintain groundwater elevations above the historical lows, and to reduce the pumping or shift it to wells having higher groundwater elevations when groundwater elevations approach the historical lows to reduce the risk for groundwater pumping-induced subsidence (Mitigation Measures 3.3-1b and 3.3-1c). It should be noted that Zone 7 uses static condition water level data from local monitoring wells rather than pumping level data to gauge the height above the historical lows and compliance with the mitigation measure.

The historical low surface used in the WMP and associated EIR (*Zone 7, 2005b*) was created using data only from wells located in the Bernal and Amador Subbasin. For this work it served as a benchmark for various groundwater modeling scenarios where well pumping was varied in these two subbasins. In 2008 the historical low surface was extended to include the entire Main Basin using additional low water elevations from the Castle and Mocho II Subbasins. In 2009, the historical lows contour map was converted to a surface grid (i.e., *ArcGIS* raster image) for comparison with end-of-water-year elevations and spatial analyses (Figure 2.2-3. See Section 3.2.3 for more detail about water levels relative to historical lows during the 2009 Water Year).

6 References

- California Department of Water Resources. 1974. California's Groundwater, Bulletin 118-2, Evaluation of Ground Water Resources: Livermore and Sunol Valleys.
- _____. 2003. California's Groundwater, Bulletin 118—Update 2003.
- Camp Dresser and McKee Inc. 1982. Wastewater Management Plan for the Unsewered, Unincorporated area of Alameda Creek Watershed above Niles. Prepared for Zone 7 of Alameda County Flood Control and Water Conservation District.
- Solley, W. B., R. R. Pierce, H. A. Perlman (USGS). 1998. Estimated use of water in the United States in 1995. US Geological Survey circular; 1200. Denver, Colo: US Geological Survey. Report nr 06079007X. ix, 71p.
- Zone 7 (Alameda Flood Control and Water Conservation District, Zone 7). 1987. Statement On Zone 7 Groundwater Management. August. Prepared by Zone 7 Board Committee.
- _____. 2003. Draft Report, Well Master Plan, Prepared by CH2MHill for Zone 7 Water Agency.
- _____. 2004. Salt Management Plan. Prepared by Zone 7 Water Agency.
- _____. 2005a. Groundwater Management Plan. Prepared by Jones & Stokes and Zone 7 Water Agency.
- _____. 2005b. Well Master Plan Conformed EIR, Prepared by ESA for Zone 7 Water Agency.
- _____. 2006a. Future Groundwater Demineralization Siting Study Report. Internal report prepared by Zone 7 Water Agency.
- _____. 2006s. Groundwater Model Update to Version 3.0. Internal memo prepared by Zone 7 Water Agency.
- _____. 2006c. Groundwater Modeling for Demineralization Plant Simulations. July. Internal report prepared by Zone 7 Water Agency.

- . 2006d. Annual Report for the Groundwater Management Program—2005 Water Year. Prepared by Zone 7, October 2006.
- . 2007. Annual Report for the Groundwater Management Program—2006 Water Year. Prepared by Zone 7, June 2007.
- . 2008a. Groundwater Outflow into the Alamo Canal and Arroyo de la Laguna, February 29, 2008, Internal memo prepared by Zone 7 Water Agency.
- . 2008b. Annual Report for the Groundwater Management Program—2007 Water Year. Prepared by Zone 7, June 2008.
- . 2009. Annual Report for the Groundwater Management Program—2008 Water Year. Prepared by Zone 7, May 7, 2009.

Tables

Table 3.1-1:	Climatological Station Information
Table 3.1-2:	Monthly Precipitation, 2009 Water Year
Table 3.1-3:	Monthly Precipitation, Wellingham Drive, Livermore, 1871 - 2009 Water Years
Table 3.1-4:	Daily Pan Evaporation, Lake Del Valle, Livermore, 2009 Water Year
Table 3.1-5:	Monthly Pan Evaporation, Lake Del Valle, Livermore, 1968 - 2009 Water Years
Table 3.2-1:	Program Wells with Measurement Frequency, 2009 Water Year
Table 3.2-2:	Well Construction Details, 2009 Water Year
Table 3.2-3:	Semi-Annual Groundwater Levels, Fall 2009 Measurement
Table 3.2-4:	Water Quality Results for Groundwater Samples, 2009 Water Year
Table 3.3-1:	List of Surface Water Stations, 2009 Water Year
Table 3.3-2:	Recorder Station Details
Table 3.3-3:	Monthly Summary of Stream Flows, Recorder Stations, 2009 Water Year
Table 3.3-4:	Monthly Conductivity Sampling, 2009 Water Year
Table 3.3-5:	Water Quality Results for Surface Water Samples, 2009 Water Year
Table 3.4-1:	Survey Points and Descriptions, 2009 Water Year
Table 3.4-2:	Kier & Wright Survey Measurements, 2009 Water Year
Table 3.5-1:	Mining Area Monitoring Program, Water Level Data, 2009 Water Year
Table 3.5-2:	Water Quality Results for Mining Area Samples, 2009 Water Year
Table 3.6-1:	Land Use Acreage by Main Basin Node and Land Use Type, 2009 Water Year
Table 3.7-1:	Groundwater Production from Municipal and Other Supply Wells, 2009 Water Year
Table 4.1-1:	Recharge Volumes, 2009 Water Year

Table 4.2-1: Nodal Constants for Storage Calculations

Table 4.2-2: Groundwater Elevations and Storage, Nodal Groundwater Elevation Method, Water Years 1963 to 1991

Table 4.2-3: Groundwater Elevations and Storage, Nodal Groundwater Elevation Method, Water Years 1992 to 2009

Table 4.2-4: Groundwater Storage – Hydrologic Inventory Method, 2009 Water Year

Table 4.2-5: Hydrologic Inventory and Storage, 1974 to 2009 Water Years


Table 4.3-1: Main Basin Salt Loading Calculations, 2009 Water Year

Table 4.3-2: Historical Salt Loading, 1974 to 2009 Water Years

Figures

- Figure 2.2-1: Groundwater Basin Map
- Figure 2.2-2: Thickness of Clay Overburden Above Upper Aquifer
- Figure 2.2-3: Historical Lows
- Figure 3.1-1: Climatological Monitoring Stations with Average Rainfall in Inches
- Figure 3.1-2: Graph of Livermore Rainfall
- Figure 3.2-1: Groundwater Program, Wells in 2009 Program
- Figure 3.2-2: Key Well Hydrographs - Historical
- Figure 3.2-3: Key Well Hydrographs – 2008 to 2009 Water Years
- Figure 3.2-4: Groundwater Gradient Map, Upper Aquifer, Spring 2009
- Figure 3.2-5: Groundwater Gradient Map, Upper Aquifer, Fall 2009
- Figure 3.2-6: Groundwater Gradient Map, Lower Aquifer, Spring 2009
- Figure 3.2-7: Groundwater Gradient Map, Lower Aquifer, Fall 2009
- Figure 3.2-8: Groundwater Levels above Historical lows, Lower Aquifer, Fall 2009
- Figure 3.2-9: TDS Concentrations, Upper Aquifer, 2009 Water Year
- Figure 3.2-10: Nitrate Concentrations, Upper Aquifer, 2009 Water Year
- Figure 3.2-11: Boron Concentrations, Upper Aquifer, 2009 Water Year
- Figure 3.2-12: TDS Concentrations, Lower Aquifer, 2009 Water Year
- Figure 3.2-13: Nitrate Concentrations, Lower Aquifer, 2009 Water Year
- Figure 3.2-14: Boron Concentrations, Lower Aquifer, 2009 Water Year
- Figure 3.2-15: Graph of TDS Concentrations in Western Key Wells
- Figure 3.2-16: Graph of TDS Concentrations in Eastern Key Wells
- Figure 3.2-17: Hydro-Chemo Graph for 3S/1E 18A 6, Bernal Subbasin - Lower Aquifer
- Figure 3.2-18: Hydro-Chemo Graph for 3S/1E 9M 3, Amador West Subbasin - Lower Aquifer
- Figure 3.2-19: Hydro-Chemo Graph for 3S/2E 7P 3, Amador East Subbasin – Lower Aquifer

- Figure 3.2-20: Hydro-Chemo Graph for 3S/2E 8P 1, Mocho II Subbasin – Lower Aquifer
- Figure 3.2-21: Graph of Hardness and TDS in Mocho Wellfield
- Figure 3.3-1: Surface Water Station Locations, 2009 Water Year
- Figure 3.4-1: Benchmark Locations, 2009 Subsidence Monitoring Program
- Figure 3.4-2: Cumulative Land Surface Elevation Changes Since Start of Program; Bernal Subbasin
- Figure 3.4-3: Cumulative Land Surface Elevation Changes Since Start of Program; Amador Subbasin
- Figure 3.4-4: Graphs of Land Surface and Groundwater Elevation Changes Versus Time; Bernal Subbasin – Hopyard 6 Well
- Figure 3.4-5: Graphs of Land Surface and Groundwater Elevation Changes Versus Time; Amador Subbasin – Mocho Wellfield
- Figure 3.4-6: Graphs of Land Surface and Groundwater Elevation Changes Versus Time; Amador Subbasin – Stoneridge Well
- Figure 3.4-7: Ground Surface Elevation Change, Fall 2008 to Fall 2009
- Figure 3.5-1: Location of Gravel Mining Pit and Water Circulation Patterns – 2009 Water Year
- Figure 3.6-1: Livermore Valley Land Use, 2009 Water Year
- Figure 3.7-1: Locations of Subbasins and Municipal Wells
- Figure 4.2-1: Mean Groundwater Elevations by Node
- Figure 4.2-2: Graphs of Historical Main Basin Hydrologic Inventory, 1974 to 2009 Water Years
- Figure 4.2-3: Storage Calculation Graphs, 1974 to 2009 Water Years
- Figure 4.3-1: Graphs of Salt Loading and Salt Concentrations
- Figure 5.1-1: Valley Water Production from Imported Water and Groundwater Sources
- Figure 5.1-2: 2009 Supply and Use – Calendar Year
- Figure 5.3-1: Toxic Site Surveillance, Livermore Area Sites
- Figure 5.3-2: Toxic Site Surveillance, Pleasanton Area Sites
- Figure 5.3-3: Toxic Site Surveillance, Dublin Area Sites
- Figure 5.4-1: Location of Future Chain of Lakes



ZONE 7 WATER AGENCY
100 North Canyons Parkway, Livermore, CA

DRAWN: Tom Rooze

REVIEWED: Tom Rooze


P:\WRE\GWMP\2009AnnRpt\Figures\
Fig2.2-1-BasinMap.mxd

GROUNDWATER BASIN MAP

Scale: 1" = 2 Miles

Date: May 4, 2010

FIGURE 2.2-1



ZONE 7 WATER AGENCY
100 North Canyons Parkway, Livermore, CA

DRAWN: TR

REVIEWED: MK


File: P:\WRE\GWMP\2009AnnRpt\Figures\
Fig2.2-2-ThickClayOverburden.mxd

**Thickness of Clay
Overburden Above
Upper Aquifer**

Scale: 1 in = 1 mile

Date: May 5, 2010

FIGURE 2.2-2



ZONE 7 WATER AGENCY
100 North Canyons Parkway
Livermore, CA

DRAWN: TR

REVIEWED: TR

FILE: E:\MONITOR\GM\HistoricLows\
Fig2.2-3-HLLower.mxd

SCALE: 1 in = 4,000 ft

DATE: May 5, 2010

Figure 2.2-3
Historical Lows (Update Jan 2009)
Lower Aquifer
Livermore Valley Groundwater Basin

LIVERMORE VALLEY GROUNDWATER BASIN WEST-EAST CROSS-SECTION

