

2 Climatological

2.1 Program Description

This section describes Zone 7's Climatological Monitoring Program which tracks rainfall and evaporation in the Valley. Zone 7 uses a network of climatological stations to provide high quality data for long-term studies, basin recharge calculations, and water management decisions. The Zone 7 Climatological Monitoring Program network consists of seven rainfall stations, two pan evaporation stations, and one California Irrigation Management Information System (CIMIS) station located within the Alameda Creek Watershed. The boundary of the watershed, the location of the climatological stations, and isohyets (the lines of equal annual average rainfall) are shown in *Figure 2-1*. *Figure 2-2* lists the stations and provides basic station information including the station ID, name, location, and mean annual precipitation or evapotranspiration (ETo).

There are two basic types of rainfall stations used in Zone 7's climatological monitoring program: daily record stations and recorder stations. A daily record station, consists of a rain gage at which, once-a-day, the observer measures and records the depth of rain that has fallen during the preceding 24 hours. A recorder station, which provides rainfall intensity for periods of less than 24-hours as well as daily totals, consists of a computerized-tipping-bucket rain gage and a data recorder. These semi-continuous-reading rain gages generally provide rainfall totals on a 15-minute frequency.


Zone 7's climatological monitoring program also contains both reference evapotranspiration and pan evaporation stations to determine water transfer to the atmosphere. Station 191 (CIMIS) is a reference evapotranspiration station, which estimates the ETo value of the water used by a well-watered, full-cover grass surface, whereas the pan evaporation stations at Lake Del Valle (LDV) and Livermore Water Reclamation Plant (LWRP) measure evaporation directly. LDV and LWRP pan evaporation data is converted to ETo using a conversion factor ($ETo = \text{Pan Evap} \times 0.6402$). Zone 7 uses ETo to calculate evaporation from the mining ponds as well as in its applied water recharge model. The CIMIS Stations' ETo is also used as part of Zone 7's Water Conservation program to help regulate weather-based irrigation ("SMART") controllers.

2.2 2014 Results

In the 2014 WY (October 1, 2013 through September 30, 2014), rainfall in the Valley was only 50% of the average water year. Rainfall totals from individual stations ranged from 5.24 inches at Station 24 (Patterson Pass Water Treatment Plant) to 12.56 inches at Station 44 (Mt. Hamilton).

The graph of rainfall from Station 15E (*Figure 2-3*), presents data for the 2014 WY, along with the driest water year (1977), the calculated average water year, the wettest year (1983), and the 2013 WY for comparison. The monthly precipitation totals for each of Zone 7's precipitation stations for the 2014 WY are shown in *Figure 2-4*. *Figure 2-5* shows historical monthly data from Station 15E in Livermore, the station with the longest historical record (1871-2014). It should be noted that Station 15E had only 0.08" of rain for the month of January, the lowest January total of its 143 year record. Furthermore, Station 15E received only 47% of the historical record annual average during this water year. Daily and 15-minute data are archived in Zone 7's database.

ETo for the 2014 WY was 50.11 inches (117% of normal) at the Lake Del Valle Station and 43.05 inches (93% of normal) at the LWRP Station, although the latter data have often been considered unreliable. ETo was 54.63 inches at the CIMIS station (the station is too new to have established a "normal"). *Figure 2-6* provides the monthly ETo for each of the three monitoring stations during the 2014 WY, and *Figure 2-7* shows monthly pan evaporation measured at Lake Del Valle (LDV-EV) data going back to the 1969 WY, showing that the 2014 WY had the maximum recorded ETo at this station.



ZONE 7 WATER AGENCY
100 North Canyons Parkway
Livermore, CA 94551

DRAWN: TR/MG

REVIEWED: MK/MG

File: E:\MONITOR\IPR\2014WY\Fig02-01-CMProg2014.mxd

Scale: 1" = 5 miles

Date: April 8, 2015

Figure 2-1
Climatological Monitoring
Stations with
Average Rainfall (in)



FIGURE 2-2
TABLE OF CLIMATOLOGICAL STATIONS
2014 WATER YEAR (Oct 2013 to Sep 2014)

PRECIPITATION NETWORK

Alameda County STATION	Computer SITE ID	STATION NAME	LOCATION	OBSERVER	ELEVATION	STATION ESTABLISHED		MEAN ANNUAL PRECIPITATION INCHES
						DAILY RECORD	15 MIN RECORD	
15E	CM_STA 15E	NOAA LIVERMORE	WELLINGHAM DRIVE LIVERMORE	MR. RON HAFNER	480	1871	-	14.44
17	CM_STA 17	DEL VALLE PLANT	VALLECITOS ROAD LIVERMORE	ZONE 7 STAFF	640	1974	1978 to Present	16.02
24	CM_STA 24	PATTERSON PLANT	PATTERSON PASS ROAD LIVERMORE	ZONE 7 STAFF	680	1963	1969 to Present	12.84
34	CM_STA 34	MOCHO WELL FIELD	SANTA RITA ROAD PLEASANTON	ZONE 7 STAFF	340	1968	1970 to Present	17.77
44	CM_STA 44	MT HAMILTON	LICK OBSERVATORY MT HAMILTON	LICK OBSERVATORY	4209	1881	-	23.86
101	CM_STA 101	TASSAJARA	CAMINO TASSAJARA ROAD DANVILLE	MRS. JOAN HANSEN	800	1912	-	18.49
170	CM_STA 170	ZONE 7 OFFICE	PARKSIDE DRIVE PLEASANTON	ZONE 7 STAFF	330	1986	1986 to 2005	20.38
191	CM_STA 191	CIMIS STATION	ALAMEDA COUNTY FAIRGROUNDS PLEASANTON	DWR STAFF	335	-	2004 to Present	15.78

EVAPORATION NETWORK

STATION ID	SITE ID	STATION NAME	LOCATION	OBSERVER	ELEVATION	STATION ESTABLISHED	MEAN ANNUAL ETo INCHES *
LDV	CM_STA LDV-EV	LAKE DEL VALLE	ARROYO ROAD LIVERMORE	DWR STAFF	760	1969	42.72
LWRP	CM_STA LWRP-EV	LIVERMORE WATER RECLAMATION PLANT	JACK LONDON DRIVE LIVERMORE	LWRP STAFF	410	1974	46.46
191	CM_STA 191-ETO	CIMIS STATION	ALAMEDA COUNTY FAIRGROUNDS PLEASANTON	DWR STAFF	335	2004	50.84

* Stations LDV and LWRP record evaporation using pan evaporation equipment. ETo is derived using : ETo= Pan Evaporation x 0.6402

**FIGURE 2-3
ZONE 7 WATER AGENCY
GRAPH OF LIVERMORE RAINFALL (STATION 15E NOAA)**






FIGURE 2-4 MONTHLY PRECIPITATION DATA 2014 WATER YEAR (Oct 2013 to Sep 2014)

MONTHLY PRECIPITATION IN INCHES

	MONITORING STATION								2014 Network Average	% Historic Network Average
	CM_STA 15E	CM_STA 17	CM_STA 24	CM_STA 34	CM_STA 44	CM_STA 101	CM_STA 170	CM_STA 191		
	15E	17	24	34	44	101	170	191		
OCT	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.02	2.4%
NOV	1.30	1.19	1.11	1.24	0.98	1.08	1.32	1.10	1.17	56.0%
DEC	0.38	0.49	0.30	0.63	0.61	0.60	0.85	0.87	0.59	19.1%
JAN	0.08	0.12	0.09	0.07	0.35	0.07	0.12	0.06	0.12	3.7%
FEB	2.58	2.86	1.84	3.35	4.68	5.25	4.05	3.10	3.46	112.6%
MAR	1.25	1.60	0.81	1.22	3.58	1.97	1.71	1.93	1.76	64.5%
APR	0.98	0.64	0.95	1.44	1.70	1.84	1.90	0.47	1.24	91.5%
MAY	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.02	3.1%
JUN	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.0%
JUL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0%
AUG	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	0.0%
SEP	0.22	0.34	0.14	0.31	0.35	0.34	0.27	0.26	0.28	142.5%
TOTAL	6.80	7.24	5.24	8.26	12.56	11.15	10.22	7.79	8.66	
% AVG	47%	45%	41%	46%	53%	60%	50%	49%	50%	

DISTRIBUTION OF DAILY PRECIPITATION Number of days with rainfall greater than reference

Rainfall (inches)	MONITORING STATION								2014 Network Average
	15E	17	24	34	44	101	170	191	
>Trace	49	42	43	47	57	46	48	47	47
>0.1	19	22	18	24	39	29	24	25	25
>0.5	4	5	5	6	12	8	11	8	7
>1	1	2	1	2	5	2	3	3	2
>2	0	0	0	0	0	0	0	0	0



FIGURE 2-5 **HISTORICAL MONTHLY PRECIPITATION** **MONITORING STATION 15E, LIVERMORE (INCHES)** **1871 to 2014 WATER YEARS**

Water Year	OCTWY	NOVWY	DECWY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	TOTAL OCT-SEP	TOTAL JULY-JUNE	% AVERAGE OCT-SEP
1871	NA	NA	NA	1.42	1.93	0.36	1.25	0.02	0.00	0.00	0.00	0.00	NA	NA	NA
1872	0.00	1.13	11.69	2.15	2.69	0.65	0.43	0.00	0.32	0.00	0.00	0.00	19.06	19.06	132%
1873	0.00	1.22	3.87	1.04	3.73	0.68	0.15	0.00	0.00	0.00	0.00	0.00	10.69	10.69	74%
1874	0.42	0.70	4.48	2.96	1.03	1.34	0.95	0.32	0.06	0.00	0.00	0.30	12.56	12.26	87%
1875	1.67	2.03	0.20	5.40	1.20	0.35	0.00	0.00	0.52	0.00	0.00	0.00	11.37	11.67	79%
1876	0.00	7.23	1.62	2.68	3.01	4.39	0.73	0.33	0.00	0.00	0.00	0.00	19.99	19.99	138%
1877	1.26	0.10	0.00	2.47	0.56	1.10	0.13	0.39	0.00	0.00	0.00	0.00	6.01	6.01	42%
1878	1.27	1.29	0.73	4.61	6.73	2.01	0.96	0.06	0.00	0.00	0.00	0.00	17.66	17.66	122%
1879	0.24	0.31	0.17	2.83	1.78	2.49	0.75	1.34	0.20	0.00	0.00	0.00	10.11	10.11	70%
1880	0.83	1.06	1.94	1.48	1.80	1.45	6.51	0.91	0.00	0.00	0.00	0.00	15.98	15.98	111%
1881	0.00	0.65	7.75	2.40	2.62	1.06	1.93	0.00	0.04	0.00	0.00	0.00	16.45	16.45	114%
1882	0.08	0.78	1.97	1.07	1.72	4.85	1.03	0.20	0.00	0.00	0.00	0.34	12.04	11.70	83%
1883	1.52	1.48	0.38	2.38	0.63	3.45	1.50	2.18	0.00	0.00	0.00	0.35	13.87	13.86	96%
1884	1.52	0.57	0.44	4.03	5.29	5.92	2.70	0.20	1.73	0.00	0.10	0.30	22.80	22.75	158%
1885	1.14	0.02	6.22	1.72	0.36	0.78	1.29	0.08	0.00	0.00	0.00	0.05	11.66	12.01	81%
1886	0.00	6.20	1.94	4.20	0.24	1.18	2.36	0.00	0.00	0.40	0.00	0.00	16.52	16.17	114%
1887	0.30	0.70	0.81	0.90	6.23	0.23	1.60	0.00	0.00	0.00	0.00	0.80	11.57	11.17	80%
1888	0.00	0.61	3.51	3.20	0.94	2.51	0.60	0.66	0.30	0.00	0.00	0.76	13.09	13.13	91%
1889	0.00	3.80	2.21	0.46	0.67	5.15	0.51	2.25	0.00	0.00	0.00	0.00	15.05	15.81	104%
1890	3.94	2.95	8.63	5.24	3.71	2.85	0.86	0.48	0.00	0.00	0.00	1.20	29.86	28.66	207%
1891	0.00	0.00	3.31	0.54	4.18	2.50	1.88	0.40	0.15	0.00	0.00	1.32	14.28	14.16	99%
1892	0.05	0.38	4.42	0.84	1.08	3.96	0.90	1.30	0.00	0.00	0.00	0.45	13.38	14.25	93%
1893	1.65	4.97	7.27	3.02	3.12	3.68	1.40	0.73	0.00	0.00	0.00	0.00	25.84	26.29	179%
1894	0.00	1.59	2.14	4.97	5.36	0.81	0.58	1.19	0.52	0.00	0.00	1.45	18.61	17.16	129%
1895	1.15	0.50	8.56	6.83	1.56	1.81	1.26	1.25	0.00	0.00	0.00	0.22	23.14	24.37	160%
1896	0.83	1.69	1.28	7.16	0.17	1.50	3.11	0.39	0.00	0.00	0.73	0.55	17.41	16.35	121%
1897	1.48	3.02	1.71	1.89	3.54	4.04	0.24	0.00	0.08	0.00	0.00	0.06	16.06	17.28	111%
1898	1.43	0.52	1.31	1.47	1.78	0.78	0.45	0.96	0.35	0.00	0.00	0.95	10.00	9.11	69%
1899	0.74	0.25	1.61	2.60	0.08	4.81	0.35	0.15	0.22	0.00	0.00	0.00	10.81	11.76	75%
1900	2.52	2.49	2.07	2.44	0.34	1.11	0.86	1.10	0.00	0.00	0.00	0.18	13.11	12.93	91%
1901	1.93	4.48	1.06	2.69	5.15	0.95	1.80	1.58	0.00	0.00	0.00	0.68	20.32	19.82	141%
1902	0.70	1.99	0.74	0.99	3.62	2.69	0.75	0.32	0.00	0.00	0.13	0.00	11.93	12.48	83%
1903	0.47	2.07	0.87	3.19	0.94	5.65	0.81	0.12	0.00	0.00	0.00	0.00	14.12	14.25	98%
1904	0.00	2.16	0.59	0.89	4.18	3.71	1.56	0.24	0.00	0.00	0.32	1.62	15.27	13.33	106%
1905	1.00	0.78	1.42	2.43	2.30	3.12	0.93	1.89	0.00	0.00	0.00	0.00	13.87	15.81	96%
1906	0.00	1.01	1.18	5.56	2.67	5.18	0.95	1.61	0.56	0.00	0.00	0.20	18.92	18.72	131%
1907	0.03	1.34	6.45	3.22	1.86	8.85	0.47	0.16	0.56	0.00	0.00	0.00	22.94	23.14	159%
1908	0.81	0.04	3.90	2.27	1.35	0.73	0.28	0.53	0.00	0.00	0.00	0.03	9.94	9.91	69%
1909	0.27	0.60	1.55	10.18	3.96	1.94	0.00	0.00	0.05	0.00	0.00	0.62	19.17	18.58	133%
1910	0.75	1.68	5.77	2.50	1.14	1.90	0.10	0.00	0.04	0.00	0.00	0.10	13.98	14.50	97%
1911	0.29	0.10	1.32	12.60	1.42	4.45	0.69	0.24	0.07	0.00	0.00	0.00	21.18	21.28	147%
1912	0.43	0.29	1.71	2.66	0.20	1.99	0.73	0.94	0.65	0.00	0.00	0.48	10.08	9.60	70%
1913	0.71	0.44	0.81	2.63	0.38	1.65	0.54	0.58	0.01	0.27	0.02	0.00	8.04	8.23	56%
1914	0.00	2.47	3.17	7.10	2.11	0.66	0.76	0.45	0.19	0.00	0.00	0.00	16.91	17.20	117%
1915	0.45	0.33	3.96	4.16	5.79	1.50	0.66	2.66	0.00	0.00	0.00	0.00	19.51	19.51	135%
1916	0.00	0.76	4.41	11.35	2.17	1.47	0.21	0.05	0.00	0.00	0.00	0.44	20.86	20.42	144%
1917	0.50	0.68	3.28	1.06	3.37	1.08	0.15	0.02	0.00	0.00	0.00	0.04	10.18	10.58	70%
1918	0.00	0.43	0.66	0.59	3.08	3.32	0.61	0.00	0.00	0.00	0.00	5.72	14.41	8.73	100%
1919	0.39	2.38	1.51	1.03	4.58	2.33	0.05	0.00	0.00	0.00	0.00	0.48	12.75	17.99	88%
1920	0.15	0.33	2.21	0.22	0.71	3.52	1.07	0.00	0.13	0.00	0.00	0.00	8.34	8.82	58%
1921	2.03	1.43	3.81	3.38	0.59	0.83	0.16	1.05	0.00	0.00	0.00	0.05	13.33	13.28	92%
1922	0.15	1.17	3.38	1.51	5.46	1.83	0.23	0.27	0.00	0.00	0.00	0.00	14.00	14.05	97%
1923	0.54	2.86	5.43	1.80	0.65	0.15	2.15	0.00	0.02	0.00	0.00	0.82	14.42	13.60	100%
1924	0.25	0.76	0.87	1.40	0.93	0.65	0.28	0.07	0.00	0.00	0.00	0.00	5.21	6.03	36%
1925	1.30	1.53	2.63	1.02	3.74	1.14	1.75	1.41	0.04	0.00	0.00	0.00	14.56	14.56	101%
1926	0.00	0.97	1.14	2.44	3.58	0.16	3.11	0.11	0.00	0.00	0.00	0.00	11.51	11.51	80%
1927	0.93	2.83	0.78	1.74	3.49	1.54	1.73	0.10	0.18	0.00	0.00	0.03	13.35	13.32	92%
1928	1.71	1.43	2.00	1.46	0.89	3.43	1.43	0.45	0.00	0.00	0.00	0.00	12.80	12.83	89%
1929	0.00	2.57	2.76	1.26	0.87	1.07	0.70	0.03	0.83	0.00	0.00	0.00	10.09	10.09	70%
1930	0.01	0.00	1.81	3.64	1.91	1.88	1.14	0.43	0.00	0.00	0.00	0.20	11.02	10.82	76%
1931	0.58	1.15	0.26	3.45	1.67	0.57	0.36	0.93	0.11	0.00	0.00	0.00	9.08	9.28	63%
1932	0.27	1.89	5.63	1.29	3.15	0.19	0.41	0.37	0.00	0.00	0.00	0.00	13.20	13.20	91%
1933	0.00	0.51	2.03	4.51	0.44	2.09	0.13	0.70	0.03	0.00	0.00	0.01	10.45	10.44	72%
1934	0.75	0.00	3.69	1.29	2.86	0.00	0.13	0.60	0.53	0.00	0.00	0.27	10.12	9.86	70%
1935	0.62	2.71	2.32	3.53	0.52	3.16	3.28	0.00	0.00	0.00	0.04	0.00	16.18	16.41	112%
1936	0.79	0.21	1.53	3.28	6.76	0.71	0.63	0.46	0.10	0.00	0.00	0.00	14.47	14.51	100%
1937	0.40	0.02	3.26	3.38	4.13	5.07	0.68	0.17	0.20	0.00	0.00	0.00	17.31	17.31	120%
1938	0.55	2.46	4.57	2.40	6.14	4.09	0.90	0.02	0.00	0.00	0.00	0.00	21.13	21.13	146%
1939	1.00	1.08	0.52	2.40	1.57	2.18	0.53	0.18	0.00	0.00	0.00	0.16	9.62	9.46	67%
1940	1.23	0.15	0.78	8.13	5.14	2.60	0.35	0.14	0.00	0.00	0.00	0.25	18.77	18.68	130%
1941	0.50	0.43	4.63	3.24	4.19	2.07	2.76	0.23	0.00	0.00	0.03	0.00	18.08	18.30	125%
1942	0.72	0.89	5.34	3.89	1.68	1.42	3.10	1.00	0.00	0.00	0.00	0.09	18.13	18.07	126%
1943	1.08	3.05	1.73	4.48	1.68	2.39	1.14	0.00	0.06	0.00	0.00	0.00	15.61	15.70	108%
1944	0.30	0.53	1.23	2.36	4.89	1.01	0.94	0.73	0.00	0.00	0.00	0.00	11.99	11.99	83%



FIGURE 2-5 **HISTORICAL MONTHLY PRECIPITATION** **MONITORING STATION 15E, LIVERMORE (INCHES)** **1871 to 2014 WATER YEARS**

Water Year	OCTWY	NOVWY	DECWY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	TOTAL OCT-SEP	TOTAL JULY-JUNE	% AVERAGE OCT-SEP
1945	0.77	3.41	2.03	0.87	3.68	3.19	0.20	0.17	0.00	0.00	0.02	0.00	14.34	14.32	99%
1946	1.07	2.07	2.98	0.76	1.23	1.69	0.02	0.61	0.00	0.24	0.00	0.02	10.69	10.45	74%
1947	0.02	2.93	2.07	0.69	1.45	2.34	0.53	0.17	0.36	0.00	0.00	0.00	10.56	10.82	73%
1948	1.84	0.85	0.51	0.20	1.11	2.79	2.50	1.03	0.16	0.03	0.00	0.00	11.02	10.99	76%
1949	0.46	0.34	2.71	1.39	2.47	3.38	0.02	0.34	0.00	0.03	0.16	0.05	11.35	11.14	79%
1950	0.08	1.20	1.21	4.65	1.54	1.44	0.85	0.59	0.01	0.00	0.00	0.08	11.65	11.81	81%
1951	1.84	5.95	4.95	2.23	1.81	1.82	0.55	0.35	0.06	0.00	0.00	0.00	19.56	19.64	135%
1952	1.04	3.01	6.07	7.60	1.40	2.36	2.20	0.16	0.04	0.00	0.00	0.10	23.98	23.88	166%
1953	0.01	2.11	6.33	2.07	0.05	1.12	1.42	0.61	0.59	0.00	0.15	0.00	14.46	14.41	100%
1954	0.21	1.33	0.64	2.19	2.27	3.00	0.73	0.16	0.27	0.00	0.00	0.04	10.84	10.95	75%
1955	0.00	1.68	3.33	2.45	1.69	0.38	1.28	0.65	0.00	0.00	0.01	0.01	11.48	11.50	80%
1956	0.01	1.31	10.15	5.49	1.15	0.14	1.92	0.63	0.00	0.00	0.00	0.63	21.43	20.82	148%
1957	0.79	0.03	0.48	2.65	2.23	1.30	1.14	2.65	0.04	0.00	0.00	0.05	11.36	11.94	79%
1958	1.06	0.37	1.62	3.16	5.37	4.44	3.74	0.66	0.41	0.00	0.00	0.02	20.85	20.88	144%
1959	0.09	0.14	0.86	2.45	3.59	0.29	0.35	0.00	0.00	0.00	0.07	1.89	9.73	7.79	67%
1960	0.00	0.00	0.75	2.98	4.12	0.60	0.48	0.42	0.00	0.02	0.00	0.01	9.38	11.31	65%
1961	0.05	2.92	1.25	2.08	1.04	1.92	1.03	0.69	0.19	0.00	0.13	0.16	11.46	11.20	79%
1962	0.15	2.24	0.82	0.73	5.61	1.82	0.22	0.00	0.00	0.00	0.00	0.00	11.59	11.88	80%
1963	3.64	0.28	1.55	1.40	4.50	2.60	3.47	0.70	0.00	0.00	0.00	0.33	18.47	18.14	128%
1964	0.93	3.18	0.19	2.37	0.08	1.57	0.21	0.48	0.32	0.00	0.12	0.04	9.49	9.66	66%
1965	0.85	2.44	4.91	2.11	0.59	1.73	1.53	0.00	0.00	0.00	0.21	0.00	14.37	14.32	100%
1966	0.03	4.22	3.23	1.05	1.17	0.17	0.33	0.10	0.12	0.17	0.00	0.11	10.70	10.63	74%
1967	0.00	3.43	2.35	6.14	0.29	4.15	4.65	0.19	0.48	0.00	0.00	0.02	21.70	21.96	150%
1968	0.24	0.88	1.62	3.93	0.90	2.40	0.43	0.15	0.00	0.00	0.00	0.00	10.55	10.57	73%
1969	0.43	2.48	3.04	6.28	4.76	0.55	1.24	0.08	0.00	0.00	0.00	0.00	18.86	18.86	131%
1970	1.10	0.49	2.34	5.38	1.18	1.42	0.40	0.07	0.32	0.00	0.00	0.00	12.70	12.70	88%
1971	0.41	5.24	5.27	1.19	0.33	1.75	1.37	0.54	0.00	0.00	0.00	0.13	16.23	16.10	112%
1972	0.04	0.46	3.27	0.90	0.79	0.14	0.64	0.00	0.04	0.00	0.00	0.58	6.86	6.41	48%
1973	2.98	4.91	2.22	5.50	3.38	2.63	0.29	0.03	0.00	0.00	0.00	0.08	22.02	22.52	152%
1974	2.08	3.71	3.80	1.50	0.71	2.69	1.62	0.00	0.00	0.00	0.00	0.00	16.11	16.19	112%
1975	0.50	0.66	1.98	0.84	3.65	5.24	1.42	0.00	0.06	0.10	0.35	0.00	14.80	14.35	102%
1976	1.27	0.08	0.21	0.30	1.46	0.48	0.39	0.00	0.18	0.00	0.91	0.95	6.23	4.82	43%
1977	0.50	0.50	0.73	1.15	0.83	0.82	0.16	1.01	0.00	0.10	0.00	0.22	6.02	7.56	42%
1978	0.13	1.34	3.07	5.44	2.95	3.07	2.49	0.01	0.00	0.00	0.00	0.04	18.54	18.82	128%
1979	0.00	2.16	0.58	4.52	3.19	1.86	0.88	0.34	0.00	0.06	0.00	0.00	13.59	13.57	94%
1980	1.51	1.13	2.66	4.16	4.24	1.36	1.32	0.48	0.00	0.70	0.00	0.00	17.56	16.92	122%
1981	0.04	0.28	1.18	3.97	1.11	2.94	0.61	0.11	0.00	0.00	0.00	0.06	10.30	10.94	71%
1982	2.07	3.44	2.57	5.29	2.16	5.58	1.50	0.00	0.28	0.00	0.01	1.48	24.38	22.95	169%
1983	2.24	3.72	2.80	6.28	5.56	6.14	3.51	0.21	0.00	0.00	0.50	1.02	31.98	31.95	221%
1984	0.27	5.44	3.44	0.33	1.87	1.00	0.53	0.01	0.03	0.00	0.00	0.04	12.96	14.44	90%
1985	1.25	4.71	1.51	0.48	1.25	2.62	0.32	0.07	0.22	0.00	0.03	0.13	12.59	12.47	87%
1986	0.89	2.69	1.97	2.04	7.11	4.09	0.40	0.14	0.00	0.01	0.00	0.45	19.79	19.49	137%
1987	0.04	0.08	0.92	1.83	3.47	2.30	0.16	0.09	0.00	0.00	0.00	0.00	8.89	9.35	62%
1988	0.87	1.40	2.30	1.78	0.38	0.26	1.15	0.45	0.10	0.00	0.00	0.00	8.69	8.69	60%
1989	0.11	1.92	2.03	0.81	0.95	2.94	0.88	0.08	0.10	0.00	0.00	1.33	11.15	9.82	77%
1990	1.13	1.02	0.10	1.54	2.46	0.87	0.37	1.78	0.00	0.02	0.00	0.06	9.35	10.60	65%
1991	0.08	0.39	1.45	0.31	2.20	5.87	0.34	0.35	0.08	0.00	0.21	0.04	11.32	11.15	78%
1992	1.65	0.31	1.19	1.39	4.61	1.97	0.43	0.00	0.09	0.00	0.00	0.00	11.64	11.89	81%
1993	0.90	0.15	4.99	6.41	4.53	2.91	0.63	0.51	0.30	0.00	0.00	0.00	21.33	21.33	148%
1994	0.57	2.00	1.81	0.94	3.33	0.15	1.20	1.78	0.04	0.00	0.00	0.00	11.82	11.82	82%
1995	0.58	3.08	1.36	6.64	0.33	6.66	1.02	0.92	0.70	0.00	0.00	0.00	21.29	21.29	147%
1996	0.00	0.01	5.37	5.17	4.10	2.34	1.91	1.05	0.00	0.00	0.00	0.00	19.95	19.95	138%
1997	1.08	2.55	4.43	5.81	0.15	0.06	0.15	0.29	0.17	0.00	0.42	0.00	15.11	14.69	105%
1998	0.28	4.23	1.95	5.47	7.30	2.37	1.37	2.00	0.13	0.00	0.00	0.18	25.28	25.52	175%
1999	0.54	2.48	0.73	3.23	3.33	1.67	0.99	0.08	0.01	0.00	0.03	0.04	13.13	13.24	91%
2000	0.15	1.26	0.25	4.61	4.87	1.25	0.59	0.69	0.18	0.00	0.01	0.24	14.10	13.92	98%
2001	1.97	0.49	0.45	1.92	2.89	1.22	1.80	0.00	0.12	0.00	0.00	0.09	10.95	11.11	76%
2002	0.37	1.92	5.09	0.72	0.62	1.65	0.16	0.68	0.00	0.00	0.00	0.00	11.21	11.30	78%
2003	0.00	2.65	7.01	0.66	1.31	1.07	3.09	0.95	0.00	0.00	0.29	0.00	17.03	16.74	118%
2004	0.02	2.02	3.57	2.19	4.01	0.39	0.18	0.11	0.00	0.00	0.00	0.58	13.07	12.78	91%
2005	2.77	0.89	3.01	2.81	3.55	3.41	1.53	1.03	0.05	0.00	0.00	0.25	19.30	19.63	134%
2006	0.17	0.65	5.40	2.22	1.32	4.79	2.60	0.34	0.00	0.00	0.00	0.00	17.49	17.74	121%
2007	0.20	1.68	2.25	0.52	3.92	0.33	0.44	0.11	0.00	0.00	0.00	0.21	9.66	9.45	67%
2008	1.12	0.71	2.05	4.79	1.89	0.10	0.02	0.00	0.00	0.00	0.00	0.00	10.68	10.89	74%
2009	0.33	1.40	1.56	1.34	3.31	2.29	0.23	0.51	0.11	0.00	0.00	0.31	11.39	11.08	79%
2010	2.79	0.21	2.02	3.53	2.36	1.57	2.10	0.24	0.00	0.00	0.00	0.00	14.82	15.13	103%
2011	1.00	2.02	3.87	0.78	2.69	4.10	0.22	0.46	1.07	0.00	0.00	0.00	16.21	16.21	112%
2012	1.06	0.93	0.04	1.52	0.52	2.57	2.01	0.02	0.12	0.00	0.00	0.01	8.80	8.79	61%
2013	0.27	3.40	4.22	1.07	0.47	0.33	0.44	0.14	0.04	0.00	0.00	0.33	10.71	10.38	74%
2014	0.00	1.30	0.38	0.08	2.58	1.25	0.98	0.00	0.01	0.00	0.00	0.22	6.80	6.58	47%
MAXIMUM	3.94	7.23	11.69	12.60	7.30	8.85	6.51	2.66	1.73	0.70	0.91	5.72	31.98	31.95	221%
MINIMUM	0.00	0.00	0.00	0.08	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.21	4.82	36%
MEAN	0.71	1.64	2.63	2.89	2.47	2.17	1.07	0.47	0.11	0.01	0.03	0.24	14.44	14.47	100%



**FIGURE 2-6
MONTHLY EVAPOTRANSPIRATION (ET_o) DATA
2014 WATER YEAR (Oct 2013 to Sep 2014)**

MONTHLY REFERENCE EVAPOTRANSPIRATION (ET_o) (inches)

	Monitoring Station			2014 Network Average	% Historic Network Average
	LDV	LWRP	191		
OCT	3.87	3.51	3.86	3.75	110.5%
NOV	2.18	1.90	2.11	2.06	119.7%
DEC	1.66	1.37	1.76	1.60	130.1%
JAN	2.20	1.68	1.92	1.93	158.7%
FEB	1.56	1.08	1.95	1.53	97.1%
MAR	2.98	2.50	3.76	3.08	108.2%
APR	3.99	3.35	5.47	4.27	105.2%
MAY	6.73	5.37	7.05	6.38	115.0%
JUN	6.89	6.19	7.58	6.89	107.5%
JUL	7.07	6.27	7.31	6.88	96.0%
AUG	6.12	5.59	6.67	6.13	95.5%
SEP	4.87	4.22	5.19	4.76	93.6%
TOTAL	50.11	43.05	54.63	49.26	
% AVG	117%	93%	107%	106%	

1) ET_o values for LDV and LWRP were approximated using : ET_o= Pan Evaporation x 0.642



FIGURE 2-7
HISTORICAL MONTHLY PAN EVAPORATION
MONITORING STATION LAKE DEL VALLE, LIVERMORE
(INCHES)
1969 TO 2014 WATER YEARS

Water Year	OCTWY	NOVWY	DECWY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	TOTAL OCT-SEP	TOTAL JULY-JUNE	% AVERAGE OCT-SEP
1969	3.20	2.50	1.54	0.66	1.08	4.89	5.92	9.99	7.84	11.38	11.77	8.32	69.09	NA	104%
1970	4.04	2.94	1.12	1.23	2.29	4.96	5.83	8.88	8.88	11.52	9.92	9.16	70.77	71.64	106%
1971	5.07	2.14	1.05	1.33	2.12	3.67	5.17	6.54	8.91	10.92	10.30	9.12	66.34	66.60	99%
1972	5.91	3.01	1.49	1.53	2.01	4.74	6.52	8.84	10.03	11.63	10.40	7.12	73.23	74.42	110%
1973	3.67	1.30	0.93	1.14	1.20	2.98	6.36	8.69	10.59	10.89	10.21	7.33	65.29	66.01	98%
1974	4.70	1.86	0.85	1.40	1.73	2.40	4.16	7.31	9.14	9.68	9.73	7.94	60.90	61.98	91%
1975	5.52	2.15	1.44	1.73	1.99	3.01	3.64	8.27	8.63	9.45	9.39	7.45	62.67	63.73	94%
1976	3.72	2.28	1.58	2.45	1.96	3.94	5.56	8.47	9.85	9.80	7.05	6.80	63.46	66.10	95%
1977	4.82	2.75	2.59	1.08	2.12	3.84	7.15	5.48	9.28	11.24	8.89	6.74	65.98	62.76	99%
1978	5.12	2.70	1.37	0.99	1.43	2.57	3.73	8.69	8.91	10.52	10.24	7.90	64.17	62.38	96%
1979	5.80	2.24	1.51	1.25	1.29	2.29	4.80	8.36	11.02	10.40	9.23	9.47	67.66	67.22	101%
1980	4.14	1.85	1.95	1.66	1.40	3.82	4.78	6.22	8.18	9.41	9.17	7.16	59.74	63.10	90%
1981	5.86	3.30	1.79	1.08	2.18	2.83	5.80	8.11	11.82	11.34	10.23	7.72	72.06	68.51	108%
1982	4.43	2.10	1.14	1.23	2.10	2.25	4.59	7.55	7.31	10.34	10.58	6.83	60.45	61.99	91%
1983	4.53	1.50	1.54	1.72	1.54	2.17	4.05	6.71	8.34	10.44	9.35	7.82	59.71	59.85	89%
1984	4.37	1.86	1.08	1.52	1.79	4.29	5.32	9.04	9.88	11.99	9.80	9.24	70.18	66.76	105%
1985	4.02	1.63	1.11	1.18	2.70	3.09	5.95	7.75	10.40	11.49	9.23	6.38	64.93	68.86	97%
1986	5.05	2.27	1.11	1.11	1.75	3.55	4.96	7.44	8.67	10.20	8.88	6.10	61.09	63.01	92%
1987	4.84	3.47	1.22	1.45	2.08	3.19	6.43	7.90	8.73	8.46	8.97	7.29	64.03	64.49	96%
1988	4.71	1.71	1.50	1.21	2.94	5.17	5.30	7.22	8.92	11.46	8.90	7.90	66.94	63.40	100%
1989	4.81	1.85	1.64	1.39	1.57	2.75	5.75	7.70	9.30	11.30	9.14	6.41	63.61	65.02	95%
1990	4.86	2.95	1.75	1.57	1.83	3.64	5.74	7.86	9.18	10.19	9.21	7.09	65.87	66.23	99%
1991	6.56	3.48	1.95	1.86	2.44	2.63	5.00	6.42	8.50	10.25	8.00	7.61	64.70	65.33	97%
1992	6.45	3.03	1.71	0.96	1.65	2.84	5.91	8.87	8.23	10.01	10.76	7.82	68.24	65.51	102%
1993	5.12	2.79	1.19	1.21	1.42	2.83	4.93	6.61	9.64	10.23	10.02	8.18	64.17	64.33	96%
1994	4.65	3.27	1.22	1.49	1.36	4.12	5.23	6.38	10.01	10.03	10.31	7.44	65.51	66.16	98%
1995	4.94	1.66	0.76	0.73	1.61	2.33	4.75	5.22	8.18	10.06	10.39	7.65	58.28	57.96	87%
1996	6.23	2.80	0.88	1.33	1.66	3.85	6.38	8.12	9.68	12.03	11.13	7.48	71.57	69.03	107%
1997	5.44	2.05	1.04	1.02	2.67	4.82	6.45	8.95	9.40	10.32	8.78	8.52	69.46	72.48	104%
1998	5.25	1.82	1.60	1.19	0.96	2.80	4.36	4.13	7.10	9.91	10.57	7.51	57.20	56.83	86%
1999	4.51	1.63	1.41	1.32	1.58	2.93	5.25	7.04	8.70	10.51	8.58	7.53	60.99	62.36	91%
2000	6.86	2.73	2.51	1.57	1.55	3.91	5.48	7.16	9.66	9.23	9.82	7.86	68.35	68.06	102%
2001	3.84	1.84	1.68	1.45	2.20	4.14	4.86	10.05	10.92	9.78	9.75	7.98	68.49	67.89	103%
2002	6.56	2.56	1.47	1.97	2.56	4.63	5.65	7.82	9.87	11.08	9.87	9.13	73.17	70.60	110%
2003	5.64	3.23	1.73	1.26	2.31	4.04	4.05	7.62	9.78	12.14	9.23	8.84	69.87	69.74	105%
2004	6.71	1.72	1.12	1.08	2.22	4.99	7.38	8.66	9.46	10.16	9.88	8.76	72.14	73.55	108%
2005	4.86	2.21	1.54	1.14	1.54	3.20	4.93	6.60	8.37	11.13	10.65	7.41	63.58	63.19	95%
2006	5.19	2.50	1.50	1.52	2.47	3.04	3.81	8.54	9.82	12.43	9.37	8.42	68.61	67.58	103%
2007	5.27	2.09	2.22	1.98	1.71	4.34	5.86	8.58	9.59	9.814	10.45	7	68.90	71.86	103%
2008	4.45	3.25	1.68	1.37	2.14	4.60	6.65	8.66	10.37	10.54	10.54	8.42	72.67	70.43	109%
2009	6.27	2.40	1.35	2.04	1.95	3.90	6.24	8.52	9.09	11.053	10.12	8.63	71.566	71.26	107%
2010	4.84	3.00	1.28	1.20	1.61	3.91	4.65	6.40	9.52	10.2	9.08	8.26	63.95	66.21	96%
2011	4.98	2.43	1.13	1.53	2.46	2.64	5.64	7.13	8.22	10.25	9.62	8.46	64.49	63.70	97%
2012	4.73	2.30	2.93	2.49	2.84	3.46	5.52	8.84	10.19	11.27	10.58	8.08	73.23	71.63	110%
2013	5.28	2.55	1.89	1.48	2.51	4.74	7.61	9.09	10.20	11.78	9.35	7.45	73.93	73.68	111%
2014	6.04	3.41	2.59	3.43	2.43	4.66	6.23	10.51	10.77	11.05	9.56	7.6	78.28	80.00	117%
MAXIMUM	6.86	3.48	2.93	3.43	2.94	5.17	7.61	10.51	11.82	12.43	11.77	9.47	78.28	80.00	117%
MINIMUM	3.20	1.30	0.76	0.66	0.96	2.17	3.64	4.13	7.10	8.46	7.05	6.10	57.20	56.83	86%
MEAN	5.08	2.42	1.51	1.45	1.93	3.60	5.44	7.80	9.33	10.64	9.72	7.81	66.73	66.27	100%

ET_o can be approximated using: $ET_o = \text{Pan Evaporation} \times 0.6402$